

Impact of digital assistive technologies on the quality of life for people with dementia: protocol for a scoping review

Journal Article

Author(s): Schneider, Charlotte; Kowatsch, Tobias (b); Vinay, Rasita

Publication date: 2023-12

Permanent link: https://doi.org/10.3929/ethz-b-000648858

Rights / license: Creative Commons Attribution-NonCommercial 4.0 International

Originally published in: BMJ Open 13(12), <u>https://doi.org/10.1136/bmjopen-2023-077017</u>

Protocol

BMJ Open Impact of digital assistive technologies on the quality of life for people with dementia: protocol for a scoping review

Charlotte Schneider,¹ Tobias Kowatsch ^(D),^{1,2,3} Rasita Vinay ^(D)

To cite: Schneider C, Kowatsch T, Vinay R. Impact of digital assistive technologies on the quality of life for people with dementia: protocol for a scoping review. *BMJ Open* 2023;**13**:e077017. doi:10.1136/ bmjopen-2023-077017

Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (http://dx.doi.org/10.1136/ bmjopen-2023-077017).

Received 23 June 2023 Accepted 15 November 2023

Check for updates

© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Department of Management, Technology and Economics, ETH Zürich, Zurich, Switzerland ²School of Medicine, University of St Gallen, St Gallen, Switzerland ³Institute for Implementation Science in Health Care, University of Zurich, Zurich, Switzerland ⁴Institute of Biomedical Ethics and History of Medicine, University of Zurich, Zurich, Switzerland

Correspondence to Dr Rasita Vinay; rasita.vinay@ibme.uzh.ch

ABSTRACT

Introduction Digital assistive technologies (eg, applications, wearables and robots) have emerged as promising tools for managing various aspects of daily life, such as basic assistance, encompassing social interaction, memory support, leisure activities, location tracking and health monitoring. In order to understand how these technologies can be utilised for people living with dementia, their impacts must first be reviewed. Currently, there is limited literature available on the topic, usually only focusing on a particular kind of digital assistive technology. Therefore, this paper presents a protocol for a scoping review that aims to provide a general overview of the impact digital assistive technologies can have on the quality of life for people living with dementia. Methods and analysis We will follow the scoping review framework proposed by Arksey and O'Malley. A comprehensive search will be performed to identify original research articles or clinical trials published between 2013 and 2023 across five online databases (Cochrane, Embase, PubMed, Scopus and Web of Science). The review will encompass both qualitative and guantitative themes derived from the literature. Relevant studies will be identified through a comprehensive search using specific search terms related to the population (people with dementia), intervention (digital assistive technologies) and outcome (quality of life). The screening of titles, abstracts and full texts will be performed to select eligible studies based on predetermined inclusion and exclusion criteria. Data will be extracted using a standardised form, and the findings will be synthesised and reported qualitatively and quantitatively. Ethics and dissemination Ethical approval is not

required because this study is a scoping review based on published data. We intend to publish our findings in a peerreviewed journal.

INTRODUCTION

In 2023, more than 55 million individuals worldwide are affected by dementia with 60% of this population living in low-income and middle-income countries.¹ Dementia encompasses various impairments regarding memory, cognition and the ability to perform daily activities.¹ It progressively worsens over time and primarily affects older individuals (over the age of 65), although not everyone will experience it. There are also possibilities

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ This scoping review represents the first attempt to provide a comprehensive overview of digital assistive technologies and their impact on quality of life for people with dementia.
- ⇒ An extensive search strategy will be implemented, covering five electronic databases, spanning a period of 10 years.
- ⇒ However, given the rapidly expanding field of digital health technologies, it is possible that this scoping review may overlook ongoing or planned studies.

for individuals younger than 65 years of age to develop dementia, known as young onset dementia. Globally, dementia currently ranks as the seventh leading cause of death, significantly contributing to disability and dependency among the older population.¹ This demographic shift poses challenges for caregivers and our healthcare system, prompting increased attention towards mitigating these burdens through digital assistive technologies to sustain the independence of people with dementia (PWD).²

Digital assistive technologies can help individuals and caregivers manage aspects of their daily lives. They are promising tools for the care and support of elderly people and also help to ease the burdens of caregiving. Advancements in technology have led to the development of devices and applications that use sensory data specifically for PWD. For instance, smartphones and wearables are being utilised to monitor physical activities, enabling home care assistance³ or as location trackers to monitor wandering behaviour.⁴ Furthermore, with the rise of artificial intelligence (AI), there have been developments of smart assistive robots, which can assist PWD by providing companionship and engaging in pet therapy, for example, as demonstrated by the robotic seal, Paro.⁵ These technologies go beyond mere assistance in daily activities, as they also aid in maintaining social interaction,

memory support, participation in leisure activities, location tracking and health monitoring.²⁶

To this end, maintaining a good quality of life is essential for PWD and must be considered when assessing the impact of digital assistive technologies. Quality of life encompasses physical and mental health, as well as social and emotional well-being (eg, emotional stability, social integration or self-esteem).⁷ Quality of life can be measured with different instruments, such as questionnaires and self-rating scales for the individual's overall perceived quality of life, and also through activity instruments or cognitive status assessments.⁸ These measures and instruments must therefore also be considered as guiding tools for determining the quality of life for PWD.

This scoping review aims to provide a general overview of the impact digital assistive technologies can have on the quality of life for PWD, due to the lack of existing literature reviews on the topic. Through this scoping review, we hope to explore the opportunities and potential benefits that digital technology can offer in improving caregiving and living standards of PWD.

Furthermore, this review serves as a tool to create greater awareness among various stakeholders, including policymakers, researchers, politicians and even management teams of elderly care companies and institutions. By presenting a synthesis of current evidence, it can strengthen the decision-making process by enabling stakeholders to understand what digital assistive technologies are available and what works effectively in enhancing the quality of life as a goal of care.

METHODOLOGY

Scoping review

We will use the framework proposed by Arksey and O'Malley for this review.⁹ Therefore, the scoping review will follow the following five-step process: (1) identifying the research question, (2) identifying relevant studies, (3) selecting eligible studies, (4) charting the data and (5) collating and summarising the results. We will follow the *Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews* (PRISMA-ScR).¹⁰ As the main aim of this scoping review is to describe the state of the literature, a quality assessment will not be conducted as generally done for a systematic review.

This scoping review has been preregistered on OSF Registries (https://osf.io/zcnx8/).

Identifying the research question

The main research question this review aims to answer is, 'what is the impact of digital assistive technologies on the quality of life for PWD?'. The findings will present both qualitative and quantitative themes surrounding the research question, providing a current overview of the impact of digital assistive technologies on the quality of life for PWD, as reflected in the literature. The research question was formulated using the population,

Table 1 The PIO framework for the eligibility of studies	
Concept	Determinants
P = population	People with dementia
I = intervention	Digital assistive technologies
O = outcome	Quality of life

intervention and outcome (PIO) concept (see table 1) according to prior work.¹¹

Identifying relevant studies

The search terms and strategy used in this scoping review are summarised in table 2 for each PIO concept. Search terms were derived from a preliminary search and analysed by comparing the words found in titles, abstracts and keywords. Additionally, to enhance the accuracy and comprehensiveness of the search results, all authors were involved in a consensus process, and an additional expert was consulted to validate the identified terms and suggest any additional relevant keywords.

A comprehensive search will be performed across five electronic databases (Cochrane, Embase, PubMed, Scopus and Web of Science), to locate published literature surrounding the research question. The search strategy exclusively considers articles published between 2013 and 2023 to focus on recent technological advancements, allowing for a more up-to-date review. Authors CS and RV also conducted searches on IEEE Xplore and ACM Digital Library to represent technology and engineering databases; however, it was determined that they were mostly duplicate results of those already found using healthcare databases or were largely irrelevant.

Table 2 The search terms derived for the PIO framework	
Concept	Terms
1: People with dementia	alzheimer* OR dement* OR early-onset OR frontotemporal lobar degeneration OR lewy- body dementia OR mixed dementias OR vascular dementia OR young onset
2: Digital assistive technologies	digital assistive tool* OR digital assistive technolog* OR gerontechnolog* OR mobile OR robot* OR supportive technolog* OR technolog* assistive device* OR voice assistant* OR wearable device* OR wearable technolog*
3: Quality of life	activities of daily living OR independence OR life quality OR living standards OR mental health OR perception OR physical health OR satisfaction OR quality of life OR qol OR safety OR standard of living OR value of life OR well-being

Table 3 Inclusion and exclusion criteria	
Inclusion criteria	Exclusion criteria
 Original Research Articles or Clinical Trials (completed) Articles which have a primary focus on digital assistive technologies for PWD Articles discussing perspectives of caregivers, family members or healthcare workers in relation to a PWD Articles about people living in diverse settings including communities, hospitals or nursing homes and all severities of dementia. We will not use age as a criterion. 	 Articles not in English or German Articles which discuss dementia negligibly or with other comorbidities/health conditions Articles that mention digital assistive technologies briefly or as an insignificant part of a review Pilot or feasibility studies which only report the implementation of an intervention Book chapters, commentaries, conference proceedings, editorials, interviews, opinion pieces, proposals, reports, protocols, short news Non-human studies
PWD, people with dementia.	

The terms from table 2 are applied to each database, scanning for the title, abstract and, if available, Medical Subject Headings terms; otherwise, keywords. The Boolean operator OR is utilised within each concept, and each concept is then linked together using the AND operator.

Selection of eligible studies

The screening of titles and abstracts will be guided by the PIO framework (see table 1), following the eligibility criteria in table 3 to ensure the relevance of the included studies to the research question.

On 17 May 2023, a literature search was conducted across the electronic databases previously mentioned, resulting in 5027 articles and trials (see online supplemental file 1). The search results were extracted and uploaded onto a literature review software, Rayyan (https://www. rayyan.ai) for screening (see figure 1 for the screening process). Rayyan is an AI-powered tool for literature and systematic literature reviews, enabling easier collaboration between reviewers. From May to July 2023, authors



bility of studies, and all authors were involved in the charting process.
The selection process will follow the recommendations in the *Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews (PRISMA-ScR) checklist.*¹⁰ **Charting the data**A data extraction form will be used to capture relevant information from each included article. The data charting was done manually in July 2023. An example of

CS and RV conducted title and abstract screening of all

eligible articles to determine their suitability for a full-text

review according to the inclusion and exclusion criteria.

Author TK was involved when substantial discrepancies

were not resolved through discussion and consensus. The

level of agreement between the reviewers was calculated and reported. To ensure reliability, authors CS and RV

conducted a full-text review to determine their inclusion

in the study. Author CS critically analysed the final sample

Collating, summarising and reporting the results

the data extraction form is described in table 4.

After conducting full-text reviews using table 4, a final list of studies for the scoping review was constructed in August. These articles were critically analysed, and the main findings were reported in a narrative synthesis accompanied with frequency analysis to present findings on (1) author locations, (2) study approach, (3) type of article, (4) study locations, (5) class of digital assistive technology, (6) sensory distribution channel, (7) target population, (8) outcome being measured and (9) instrument measuring quality of life. From a pilot study of the articles, it can be seen that there is rarely a specific 'quality of life instrument' being used. Indirect outcomes, which also influence the quality of life, are therefore recorded (eg, activity instruments, cognitive status and rating of the patient's quality of life⁸). Qualitative analysis will help identify the impact of the digital assistive interventions on the target population in each study, providing a holistic overview of quality of life dimensions across all stages of dementia. Therefore, it will be crucial for article eligibility

а

Table 4 Data charting form		
Title of study		
DOI		
Year of publication		
Author name(s)		
Author location(s)		
Study approach	ie, qualitative or quantitative or mixed method	
Type of article	ie, Case Study, Observational Study, RCT, Review, Trial, Other	
Study location	ie, where the study was carried out	
Class of digital assistive technology	ie, AI, Application, AR/VR, Conversational Agent, Wearable, Other	
Explanation of the digital assistive technology	ie, specification of the digital assistive technology (eg, name/brand)	
Sensory distribution channel	ie, acoustic, proprioceptive, tactile, visual	
Target population		
Outcome measured	ie, the primary outcome being measured in the study	
Aim(s) of the study		
Study methods summary		
Key findings	ie, study findings relevant to study objectives	
Quality of life measure	ie, how is quality of life measured (eg, rating of quality of life through questionnaire, activity instrument and cognitive status)	
Reported effect		
Notes		
AI, Artificial Intelligence; AR, Augmented Reality; RCT, Randomised Controlled Trial; VR, Virtual Reality.		
hat included studies provide a before and at	tar compar is therefore recommanded for future research W	

that included studies provide a before and after comparison of quality of life measures or indirect outcomes in order to successfully answer the research question of this scoping review.

Patient and public involvement None.

DISCUSSION

The proposed scoping review aims to demonstrate the impact digital assistive technologies can have on the quality of life for PWD. Through this review, we hope to create greater awareness of the different digital assistive technologies that have been researched, not only for PWD but also their carers. Ultimately, the outcomes of this review will provide evidence-based insights to health policymakers and stakeholders, enabling them to address the pressing needs of an increasingly affected population. The findings will contribute to shaping policies, resource allocation and interventions that effectively leverage digital technologies to improve the quality of care and support available to PWD and their caregivers.

A limitation of this review is that certain digital technologies may be missing due to the search terms selected, as there is no uniform definition of 'digital assistive technologies'. Another limitation is the lack of a market analysis to provide an outlook of companies which already provide digital assistive technologies to individuals with a cognitive impairment, such as those with dementia, and

is therefore recommended for future research. Moreover, due to the absence of a quality appraisal, it is not possible to make any remarks regarding the reliability of the study interventions on the measured outcome. A risk of bias of the evidence or methodological limitations was also not assessed, given the focus of the scoping review.

Acknowledgements The authors would like to thank Dr Mathias Schlögl for his valuable input and feedback throughout the process.

Contributors All authors have made substantial intellectual contributions to the development of this protocol and its revisions. The search question was conceptualised by TK and RV and further developed by CS. The review approach and design were conceptualised by RV, with advice from TK. CS and RV developed and tested search terms with input and revisions from TK. CS initiated drafting of the manuscript followed by further iterations after substantial input and appraisal from TK and RV. All authors approved the final version of the manuscript.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests TK is affiliated with the Centre for Digital Health Interventions (CDHI), a joint initiative of the Institute for Implementation Science in Health Care, University of Zurich; the Department of Management, Technology and Economics at ETH Zurich; and the Institute of Technology Management and School of Medicine at the University of St. Gallen. CDHI is funded in part by CSS. a Swiss health insurer. TK is also a cofounder of Pathmate Technologies, a university spinoff company that creates and delivers digital clinical pathways. However, neither CSS nor Pathmate Technologies was involved in this research. All other authors declare no conflict of interest.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Open access

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iDs

Tobias Kowatsch http://orcid.org/0000-0001-5939-4145 Rasita Vinay http://orcid.org/0000-0002-0490-5697

REFERENCES

World health organization, "dementia," Mar. 15, 2023. Available: https://www.who.int/news-room/fact-sheets/detail/dementia#:% 7E:text=Worldwide%2C%20around%2050%20million%20people, dependency%20among%20older%20people%20worldwide [Accessed 15 May 2023].

- 2 Koo BM, Vizer LM. Examining mobile technologies to support older adults with dementia through the lens of Personhood and human needs: Scoping review. JMIR Mhealth Uhealth 2019;7:e15122.
- 3 Alaraj R, Alshammari R. Utilizing machine learning to recognize human activities for elderly and Homecare. *Acta Inform Med* 2020;28:196–201.
- 4 Ehn M, Richardson MX, Landerdahl Stridsberg S, et al. Mobile safety alarms based on GPS technology in the care of older adults: systematic review of evidence based on a general evidence framework for Digital health Technologies. J Med Internet Res 2021;23:e27267.
- 5 Kelly PA, Cox LA, Petersen SF, *et al*. The effect of PARO Robotic seals for hospitalized patients with dementia: A feasibility study. *Geriatric Nursing* 2021;42:37–45.
- 6 Lee H, Chung MA, Kim H, et al. Correction: the effect of cognitive function health care using artificial intelligence robots for older adults: systematic review and meta-analysis. JMIR Aging 2022;5:e42312.
- 7 Appel L, Ali S, Narag T, *et al*. Virtual reality to promote wellbeing in persons with dementia: a scoping review. *J Rehabil Assist Technol Eng* 2021;8:20556683211053952.
- 8 De Vito AN, Sawyer RJ, LaRoche A, *et al.* Acceptability and feasibility of a Multicomponent Telehealth care management program in older adults with advanced dementia in a residential memory care unit. *Gerontol Geriatr Med* 2020;6:2333721420924988.
- 9 Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- 10 Tricco AC, Lillie E, Zarin W, et al. PRISMA extension for Scoping reviews (PRISMA-SCR): checklist and explanation. Ann Intern Med 2018;169:467–73.
- 11 Richardson WS, Wilson MC, Nishikawa J, et al. The well-built clinical question: a key to evidence-based decisions. ACP J Club 1995;123:A12–3.