

Editorial: Scaling-up health-IT—sustainable digital health implementation and diffusion

Other Journal Item

Author(s):

[Kowatsch, Tobias](#)  Schlieter, Hannes; Gand, Kai; Marsch, Lisa A.; Chan, Wai Sze

Publication date:

2024-04-15

Permanent link:

<https://doi.org/10.3929/ethz-b-000668883>

Rights / license:

[Creative Commons Attribution 4.0 International](#)

Originally published in:

Frontiers in Digital Health 6, <https://doi.org/10.3389/fdgth.2024.1296495>



OPEN ACCESS

EDITED AND REVIEWED BY
Lisette van Gemert-Pijnen,
University of Twente, Netherlands

REVIEWED BY
Christine Jacob,
University of Applied Sciences and Arts
Northwestern Switzerland, Switzerland

*CORRESPONDENCE
Hannes Schlieter
✉ hannes.schlieter@tu-dresden.de

RECEIVED 18 September 2023
ACCEPTED 02 April 2024
PUBLISHED 15 April 2024

CITATION
Schlieter H, Gand K, Marsch LA, Chan WS and
Kowatsch T (2024) Editorial: Scaling-up
health-IT—sustainable digital health
implementation and diffusion.
Front. Digit. Health 6:1296495.
doi: 10.3389/fgth.2024.1296495

COPYRIGHT
© 2024 Schlieter, Gand, Marsch, Chan and
Kowatsch. This is an open-access article
distributed under the terms of the [Creative
Commons Attribution License \(CC BY\)](#). The
use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Editorial: Scaling-up health-IT— sustainable digital health implementation and diffusion

Hannes Schlieter^{1*}, Kai Gand¹, Lisa A. Marsch², Wai Sze Chan³
and Tobias Kowatsch^{4,5,6}

¹Research Group Digital Health, Technische Universität Dresden, Dresden, Germany, ²Geisel School of Medicine at Dartmouth, Dartmouth College, Hanover, NH, United States, ³Department of Psychology, University of Hong Kong, Hong Kong, Hong Kong SAR, China, ⁴Institute for Implementation Science in Health Care, University of Zurich, Zurich, Switzerland, ⁵School of Medicine, University of St. Gallen, St. Gallen, Switzerland, ⁶Centre for Digital Health Interventions, Department of Management, Technology, and Economics, ETH Zurich, Zurich, Switzerland

KEYWORDS


digital health, eHealth, implementation strategy, implementation research, transformation of traditional care processes, dissemination and adoption strategies

Editorial on the Research Topic

Scaling-up health-IT—sustainable digital health implementation and diffusion

Digital health technologies [DHTs; (1)] are increasingly employed by providers and patients for prevention, diagnosis, management, and treatment. For example, digital diagnostics improve the efficiency of clinical workflows (2), or patients receive prescriptions for digital therapeutics (3). However, the question of how DHTs can be scaled up efficiently and sustainably remains challenging and has not yet been sufficiently addressed (4, 5). The “time-to-market” for evidence-based practice can still be up to 15 years (6), and digital health startups have the highest failure rate of 98% across industries (7).

Figure 1 highlights relevant barriers that precisely address the challenges for sustainably building a DHT outlined above. Details can be found in the underlying references. Procedural aspects of the implementation of DHTs can be found in more detail, for example, in Van Gemert-Pijnen et al. (11). We deem regular evaluation, particularly phases 1–3 in Figure 1, as crucial for potentially enabling evaluation-based adjustments to DHTs to overcome barriers. However, the detailed discussion of these procedural aspects is beyond this scope. Additionally, quantifying implementation outcomes remains unclear due to poorly defined and operationalized constructs like adoption and sustainability, with a notable absence of standardized measures (12, 13). So, in principle, different implementation outcomes are relevant at different phases of implementation. While regulatory affairs and user characteristics are usually prime during preparation, technical interoperability could be part of optimization. As such innovation processes are embedded in different innovation ecosystems, Figure 1 illustrates the main categories and pathways to proper diffusion. Also, Figure 1 emphasizes the importance of identifying target populations and their needs (demand preparation). This includes the barriers to implementing DHTs, such as technology usability, user characteristics, regulation (Medical Device or General Data Protection Regulation) and (IT or clinical) infrastructure, social support (family background, friends’ networks), and cultural aspects



(e.g., different understandings of care). To build sustainable DHTs, it's essential to enhance technology, ensure usability, deploy, and assess impact in target settings. Evaluation informs iterative improvements, crucial for scaling. Challenges like funding, infrastructure, regulatory support, user engagement, and sustainability need addressing to boost DHT scaling success. However, the prioritization of topics relevant to innovation changes within a “spectrum of attention”. Firstly, the focus is on the innovation itself. Over time, the focus then shifts to the benefits that the innovation offers users. Finally, the aim is to integrate the innovation into the everyday lives of users (10).

The research topic explores some central issues and opportunities in scaling up DHTs, with a focus on early-stage DHTs with high potential and focusing on some of the themes mentioned.

Rusch et al. and Azevedo et al. highlight the importance of usability and acceptability for successfully scaling up DHTs. This is about designing and implementing user-centered DHTs by engaging patients, providers, policymakers, and payers, ensuring the technologies meet real-world needs and are sustainably and equitably implemented. Also, Azevedo et al. outline that different implementation outcomes are relevant at different phases of implementation (as touched above). From a technical usability perspective, Sieber et al. note that while personalized, face-to-face support in DHTs boosts retention, it raises scalability challenges due to staffing demands. They recommend a socio-technical approach that balances personalization with scalability from the outset. Aronson et al. and Otto et al. highlight the need for scaling-up strategies to be tailored, accounting for varied populations and settings. This is due to the differing effectiveness and acceptability of DHTs based on the target population's needs and the implementation context. Adaptations may include changes to the DHT, its delivery, available support resources, or to meet the cultural and linguistic needs of the target population. Cultural adaptation ensures that the DHT is respectful of the

target's values and beliefs. Particularly, Hazra-Ganju et al. highlight the importance of localization and cultural adaptation when scaling up DHTs in resource-limited settings. This is because DHTs that are not tailored to the local context are less likely to be effective and sustainable. Looking at a program/meso level, Williams et al. introduce a holistic care concept called Parsley Health to deliver preventive measures for chronic conditions. A feasible and acceptable scaling up was shown, with symptom severity declining and reasonable satisfaction with the services. To this end, Castro et al. are planning a study to explore the sustainable development of a low-cost, smartphone-based intervention with a conversational agent for lifestyle support, potentially revealing general health benefits and scalability. Otto et al., stress the importance of community engagement in the success and scaling of DHTs, highlighting the community's role in advocating for DHT usage and adoption. This includes community involvement in design, development, implementation, and promotion of DHTs.

The research topic emphasizes the necessity for a systematic, evidence-based approach to scale up DHTs, highlighting the current fragmented and ad-hoc methods that result in ineffective, unsustainable, or inequitable DHT implementations. It sheds light on critical aspects such as user-centered design, collaborative development, tailored strategies for scaling up, localization with cultural adaptation, and community engagement as key to successful DHT adoption. Addressing these areas will enhance DHT adoption and healthcare improvement. To this end, future research on DHTs should focus on improving clinical outcomes in the long term in the most cost-efficient way. Additionally, research is needed to address regulatory challenges, enhancing trust, transparency, adoption rates, and interoperability. Sustainable reimbursement models are required for the continuous maintenance and iterative improvement of DHTs, mainly when artificial intelligence is used and fed by healthcare data that is increasingly available. It is needed study

the potential and boundaries of generative language models since they promise high expectations on the time to market of DHTs but also put risks regarding patient safety, evidence, and reliability to the market. We also call for contributions investigating barriers and drivers for typical stakeholders such as payers, physicians, nurses, and patients.

Author contributions

HS: Writing – original draft, Writing – review & editing. KG: Writing – original draft, Writing – review & editing. LM: Writing – original draft, Writing – review & editing. WC: Writing – original draft, Writing – review & editing. TK: Writing – original draft, Writing – review & editing.

Conflict of interest

TK is affiliated with the Centre for Digital Health Interventions (CDHI), a joint initiative of the Institute for Implementation Science in Health Care, University of Zurich, the Department of

Management, Technology, and Economics at ETH Zurich, and the Institute of Technology Management and School of Medicine at the University of St. Gallen. CDHI is funded in part by CSS, a Swiss health insurer, Mavie Next, an Austrian health care provider, and MTIP, a Swiss digital health investor. TK is also cofounder of Pathmate Technologies, a university spin-off company that creates and delivers digital clinical pathways. However, neither CSS, Mavie Next, MTIP or Pathmate Technologies were involved in this editorial.

The other authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

- Digital Therapeutics Alliance. Digital Health Technology Ecosystem Categorization [WWW Document] (2023). Available online at: https://dtxalliance.org/wp-content/uploads/2023/06/DTA_FS_DHT-Ecosystem-Categorization.pdf (accessed March 1, 2024).
- Parikh RB, Helmchen LA. Paying for artificial intelligence in medicine. *npj Digit Med.* (2022) 5:1–5. doi: 10.1038/s41746-022-00609-6
- Jacobson N, Kowatsch T, Marsch L. *Digital Therapeutics for Mental Health and Addiction: The State of the Science and Vision for the Future*. London: Elsevier, Academic Press (2023).
- Schlieter H, Marsch LA, Whitehouse D, Otto L, Londral AR, Teepe GW, et al. Scale-up of digital innovations in health care: expert commentary on enablers and barriers. *J Med Internet Res.* (2022) 24:e24582. doi: 10.2196/24582
- Côté-Boileau É, Denis J-L, Callery B, Sabean M. The unpredictable journeys of spreading, sustaining and scaling healthcare innovations: a scoping review. *Health Research Policy and Systems.* (2019) 17:84. doi: 10.1186/s12961-019-0482-6
- Khan S, Chambers D, Neta G. Revisiting time to translation: implementation of evidence-based practices (EBPs) in cancer control. *Cancer Causes Control.* (2021) 32:221–30. doi: 10.1007/s10552-020-01376-z
- Chakraborty I, Ilavarasan PV, Edirippulige S. Critical success factors of startups in the e-health domain. *Health Policy Technol.* (2023) 12:100773. doi: 10.1016/j.hlpt.2023.100773
- Kowatsch T, Otto L, Harperink S, Cotti A, Schlieter H. A design and evaluation framework for digital health interventions. *It Inform Technol.* (2019) 61:253–63. doi: 10.1515/itit-2019-0019
- Collins LM. *Optimization of Behavioral, Biobehavioral, and Biomedical Interventions—the Multiphase Optimization Strategy (MOST)*. Cham: Springer (2019).
- Rogers EM. *Diffusion of Innovations*, 4th ed. New York: Simon and Schuster (2010).
- Van Gemert-Pijnen L, Kip J, Kelders S, Sanderman R. *Ehealth Research, Theory, Development and Evaluation, a Multidisciplinary Approach*. Enschede: Routledge (2018).
- Lewis CC, Fischer S, Weiner BJ, Stanick C, Kim M, Martinez RG. Outcomes for implementation science: an enhanced systematic review of instruments using evidence-based rating criteria. *Implement Sci.* (2015) 10:155. doi: 10.1186/s13012-015-0342-x
- Proctor E, Silmere H, Raghavan R, Hovmand P, Aarons G, Bunger A, et al. Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda. *Adm Policy Ment Health.* (2011) 38:65–76. doi: 10.1007/s10488-010-0319-7